## Converting Microsoft Excel 2002 to Pipe-Delimited ASCII Text Files

Using the Windows XP 2002 Professional Operating System with Service Pack 2 (SP2)

Note: Participants **must** return Address Count Lists and Address Lists in the predefined, pipe-delimited ASCII text file format specified by the Census Bureau.

## Summary: This document covers:

- Setting the pipe symbol as the default delimiter
- Converting an Excel spreadsheet to the Census computer-readable predefined pipe-delimited ASCII text file

## Set the Pipe Symbol as the Default Delimiter

- From the Microsoft (MS) Start button on the MS Windows task bar, highlight Settings and select the Control Panel. In the Control Panel window select Regional and Language Options.
- 2. In the Regional and Language Options window, select the Regional Options tab, click the Customize... button.
- 3. In the Customize Regional Options window, select the Numbers tab.
- 4. Set the List Separator field to a pipe-delimited symbol | by pressing Shift and |.


**Note:** The pipe symbol is usually located on the same key as with the backslash symbol, but may be found elsewhere on the keyboard.




- 5. Click OK to close the Customize Regional Options window.
- 6. Click OK to close the Regional and Language Options window.

## Convert MS Excel to the Predefined ASCII Local Address Files


- 7. Open MS Excel 2002.
- 8. In the menu bar click File and then click Open.




9. Verify the **Files of type:** drop-down box is set to **Text Files**. Navigate to the Excel document and click **Open**.




10. Once the text file is open, highlight the entire spreadsheet by clicking on the box at the intersection of **Row 1** and **Column A**.



- 11. .In the menu bar click Data and select Sort.
- 12. In the Sort window in the Sort by dropdown list select Action Code. Verify that Ascending is selected. Select Header row from My list has and then click OK.




13. Click anywhere within the spreadsheet to clear the selection set. The rows with a value in the Action Code column (Column D) should be at the top of the spreadsheet. Values in the Action Code column may be A, D, N or J.



14. Scroll down In the table to locate the first row that does not contain a value in the Action Code column (Column D). Select all of the rows that do not have a value in the Action Code column and delete them. The addresses that have been updated during the process remain, while the rest are deleted.

Note: The Census Bureau only requires you to return only updated or edited files.



- 15. In the menu bar click File and the click Save.
- 16. In the Save As window select CSV (Comma delimited) from the Save as type: dropdown list and click Save.

Note: Ignore the CSV options that say MS-DOS or Macintosh. The file has to be saved as CSV (Comma delimited).

